## Guide to Terminology & Equipment


version: juin 2019 revised 2021



#### The different types of boats available.



= used during initiation course




Skiff

2 de Couple



Yolette XY4+





### Scull boat: Terminology 1

<u>Wavebreaker (Hiloire)</u> has a pointed front (fragile!!) which allows the water flow to be distributed on each side (breakwater).


**Bow (Proue)** = Front of boat. **Stern (Poupe)** = Rear of boat.

The **gunwall (bordage)** is a part of a boat's frame (upper belt). Warning! We always carry the boat by the gunwall – never by the riggers.

Note: some boats are centered with thicker gunwalls; the bracing that reinforces and through which the boat can also be carried.

Oarlock (Tollet): peg serving as the fulcrum of the oar. Pay attention to the direction of assembly! It must always be facing the stern (side of the rower's feet)


### Scull boat: Terminology 2 – The oar (rame / aviron)



## The Boats

- Each boat has a place in the garage marked with its name.
- Each boat rests on 2 supports:
  - metal padded (if above ground level) or
  - 2 wooden carts (at ground level).
- Attention: always rest the boat on its gunwalls, <u>never</u> on the riggers nor on the wavebreaker!





# Organisation of an outing

- Before each outing, note the outing in the computerized logbook (EFA system).
- The name of the boat, the names of the rowers and the chosen direction (East / West).
- If in doubt refer to the user manual.

https://aviron-vevey.ch/wp-content/uploads/2019/02/Manuel EFA.pdf

## Taking out the oars

- Each boat has its own oars, stored vertically on the supports, next to the garage doors.
- We carry 2 oars at a time.
- Always carry oars with the blades behind you.
- Pay attention that the blades do not hit the ground or each other.









# Preparing boat trestles and taking out the boats

- Choose the size of the trestles according to the weight and the length of the boat.
- Place each boat slightly offset from the garage doors, to be able to take the boats out straight and quickly.









# Preparing the boat

- Close airtight compartment covers without force.
- Open the gates on each oarlock.
- Check the runners and the seat.
- Pre-adjust toe clips / footplates.

# Manoeuvering the boat

- Operate calmly and in a coordinated manner!
  It is always the instructor or the most
  experienced person who coordinates the
  manoeuvre.
- Watch out when turning as the boat is long, look out for other rowers, garage doors/posts and trestles!









## Carrying the boat

- Carry the boat hull facing down (as it will sit on the water) arms outstretched, by the gunwalls.
- Face to face, 2 people placed in front of the front riggers and 2 people placed behind the rear riggers.
- Possibly 1 or 2 additional people, one at the front tip (bow) and the other at the back (stern).

## Taking care of the equipment



THANK YOU for taking care and for cleaning the equipment!

#### Before storing each boat in the garage:

Open airtight compartment covers.

- Clean the runners with rubbing alcohol.
- If necessary, clean the inside of the boat with water. (sponge and bucket available near the tap in the garage)
- Close and protect the oarlocks with tennis balls.
- Dry the boat with the absorbent cloths.
- In case of damage, notify the instructor, after any shock or damage!

(Outside the initiation course, report it on the EFA system once the outing is finished ).



